

LED Architectural Strip Direct/Indirect 4FT Black

SKU: AA-900081UCCTW-DI-B-LB



Description

The Elakeview Venus Direct/Indirect Architectural Strip offers a modern appearance with a sleek extruded aluminum housing. Available in wall mount, surface mount and pendant mounting options. Strips can be daisy chained with L, X or T connectors or installed separately.



Features

- AC120-347V
- Class 2 0-10V Dimming Driver, 4/6KV Surge Protector, W/Overtemperature Protection
- Direct/Indirect Light Distribution (70% Direct, 30% Indirect)
- Various Connection Options
- Color Temperature Selectable: 3000/3500/4000K
- Damp Location Rated
- Wattage Selectable: 30/40/45W
- CRI: >80
- 0-10V Continuous Dimming
- DLC 5.1, CUL Listed.
- L70: 100,000 Hours
- 10 Year Warranty, Extended Warranty Available

Applications


- Industrial Spaces
- Commercial Lighting
- Schools
- Retail Stores

Ordering Information



SKU	Model	DLC Product ID	Voltage	Wattage	Efficacy	Lumens	CCT	Finish	Size
AA-900081UCCTW-DI-B-LB	AL4FTUCCTW-DI-B	S-TEY07Q	120-347V	35/40/45W	115LM/W	4550/5200/5850LM	3000/3500/4000K	Black	48"
AA-900081UCCTW-DI-W-LB	AL4FTUCCTW-DI-W	S-TEY07Q	120-347V	35/40/45W	115LM/W	4550/5200/5850LM	3000/3500/4000K	White	48"
AA-900082UCCTW-D-B-LB	AL4FTUCCTW-D-B	S-RKHC9N	120-347V	35/40/45W	115LM/W	4550/5200/5850LM	3000/3500/4000K	Black	48"
AA-900082UCCTW-D-W-LB	AL4FTUCCTW-D-W	S-278EI9	120-347V	35/40/45W	115LM/W	4550/5200/5850LM	3000/3500/4000K	White	48"
AA-900083UCCTW-DI-B-HB	AL8FTUCCTW-DI-B	S-RZ64DW	120-347V	60/75/90W	113LM/W	8450/9750/11700LM	3000/3500/4000K	Black	96"
AA-900083UCCTW-DI-W-HB	AL8FTUCCTW-DI-W	S-RZ64DW	120-347V	60/75/90W	113LM/W	8450/9750/11700LM	3000/3500/4000K	White	96"
AA-900084UCCTW-D-B-LB	AL8FTUCCTW-D-B	S-DBA3J5	120-347V	60/75/90W	113LM/W	8450/9750/11700LM	3000/3500/4000K	Black	96"
AA-900084UCCTW-D-W-LB	AL8FTUCCTW-D-W	S-6ISUMR	120-347V	60/75/90W	113LM/W	8450/9750/11700LM	3000/3500/4000K	White	96"

Dimensions



Connection Options Sold Separately



“I” Connector For 2.8” Housing
SKU: ASTP-I Connector



“L” Connector For 2.8” Housing
SKU: ASTP-L Connector



10FT 600V Leads W/Quick Connector, Black
SKU: ASTP-10F600VB



“T” Connector For 2.8” Housing
SKU: ASTP-T Connector



“+” Connector For 2.8” Housing
SKU: ASTP-+’ Connector



10FT 600V Leads W/Quick Connector, White
SKU: ASTP-10F600VW

SKU	Description
ASTP-I Connector	“I” Connector for 2.8” housing
ASTP-L Connector	“L” Connector for 2.8” housing
ASTP-T Connector	“T” Connector for 2.8” housing
ASTP-+’ Connector	“+” Connector for 2.8” housing
ASTP-10F600VB	10FT 600V Leads w/Quick Connector, Black
ASTP-10F600VW	10FT 600V Leads w/Quick Connector, White

Mounting Options

Sold Separately



Surface Mounting Kit For 2.8" Housing
SKU: AA-ASTP-SMK



Suspension Kit, Black Finish
SKU: AA-ASTP-SuspensionKit



Recessed Mounting Kit For 4FT
SKU: AA-ASTP-RecessedMounting-4F



Wall Mounting Kit For 2.8" Housing
SKU: AA-ASTP-WallMountingKit



Suspension Kit, White Finish
SKU: AA-ASTP-SuspensionKit



Recessed Mounting Kit For 8FT
SKU: AA-ASTP-RecessedMounting-8F

SKU	Description
ASTP-SMK	Surface Mounting Kit For 2.8" Housing
ASTP-WallMountingKit	Wall Mounting Kit For 2.8" Housing
ASTP-SuspensionKit	Suspension Kit, Black Finish
ASTP-SuspensionKit	Suspension Kit, White Finish
ASTP-RecessedMounting-4F	Recessed Mounting Kit For 4FT
ASTP-RecessedMounting-8F	Recessed Mounting Kit For 8FT